


2026

INFLATABLE BOATS



Allroundmarin[®]
Alltechnik Trading Company Ltd.

Rheinboldtstrasse 11-13, A-2362 Biedermannsdorf near Vienna
Tel.: +43 (0)2236 64676 -0 Fax: +43 (0)2236 64676-76
Email: office@allroundmarin.at Web: www.allroundmarin.com



For more than 25 years, we have been producing high-class inflatable boats for every situation. 15 models in lengths from 180 to 450 cm are available for you to choose from at . Our inflatable boats are mainly made from PVC De-chitex Strongan 1100 material. Breathtaking

driving dynamics paired with incredible versatility are what make our inflatable boats so special. Whether for fishing, leisure, workboats, or tenders, there is something for everyone. Browse through the pages or let our staff advise you.

LIFE JACKETS



Allroundmarin stands for safety on board. A life jacket can save lives. Here you will find all Allroundmarin life jackets. Automatic, manual, solid life jackets, and children's life jackets.

RAILBLAZA MOUNTING SYSTEMS



With many possible applications, you can customize your inflatable boat. Mounting bases provide the foundation for attaching various accessories, such as mounts for a tablet or rod holders.

INFLATABLE BOAT CLEANING



Always keep your inflatable boat clean, so you can enjoy it for a long time. With our care products, you are well equipped, whether for your inflatable boat or other materials that are exposed to sun, wind and water.



AIRSTAR

With its "AirStar" boats, Allroundmarin has created a new type of boat that perfectly meets the requirements of modern mobility on the water: sporty and functional, intelligent and efficient. Assembly is extremely simple. And, most importantly, the price/performance ratio is easy on your leisure and vacation budget.

WITH HARD AIR FLOOR

AIRSTAR	200	230
total length	202 cm	225 cm
total width	141 cm	132 cm
hose diameter	40 cm	14 inches
air chambers	2+2	3+1
Weight	18 kg	18 kg
load capacity	261 kg	290 kg
Number of persons	2	2
Max. perm. kW / hp	2,5 / 3,4	2,5 / 3,4
Max. engine weight	24 kg	36 kg
Order no. light gray	97 8008*	97 7921

* Airstar 200 without cover, front pocket, and hanging pocket.

Basic equipment:

Removable seat, detachable oars, safety lines, tow rings, recessed valves, foot pump, and repair kit. A carrying bag is also included free of charge.



Replacement:

seat board Airstar 230 gray 97 8115

*While supplies last. Errors and technical changes reserved.

JOLLY CARBON 180

WITH CARBON SLATTED BASE

The Jolly Carbon 180 is the breakout model in the popular and long-standing Angel Jolly series.

New features make this inflatable boat something special and an even more practical boat. Above all, the Jolly Carbon impresses in terms of weather resistance and maintenance.

The seat board is now even more stable and resistant to salt water and weather conditions thanks to the change in material from wood to carbon, and can be moved continuously. This allows the seating position to be adjusted to suit the situation. The wooden slats have also been replaced by carbon boards. Additional highlights include the PVC-coated transom and reinforced rubbing strakes on the underside of the tube. Now all you need are the Railblaza fishing rod holders and the Jolly Carbon is ready for your next fishing trip.

JOLLY Carbon	180
total length	6 feet 1 inch
total width	51 inches
hose diameter	35 cm
air chambers	2
Weight	15 kg
load capacity	180 kg
Number of persons	1,5
Max. perm. kW / hp	3,0 / 4,0
Max. engine weight	36 kg
Order no. e gray	97 7961

Errors and technical changes excepted.

Replacement seat board for Jolly Carbon 97 **8684**



JOLLY GS

There are several good reasons to choose one of these tender boats.

They are small and lightweight, and thanks to their flat rolling bottom, these boats always sit securely and stably on the deck of your yacht. The shore or a jetty can be quickly reached around the clock for a shore leave to run any necessary errands. They are indispensable small dinghies at sensational prices that can also be quickly packed up and stowed away again.

JOLLY GS	GS-195
total length	6'5
total width	51 inches
hose diameter	35 cm
air chambers	2
Weight	17 kg
load capacity	250 kg
Number of persons	1,5
Max. perm. kW / hp	3,0 / 4,0
Max. engine weight	36 kg
Order no. light gray	97 8005

Errors and technical changes excepted.

The boat weights specified apply only to the hull, without removable parts and accessories such as oars, bench, bellows, etc.



Replacement:

- 8115** Jolly GS 195/225 gray seat board 97
- 8116** Jolly GS 255 gray seat board 97



KIWI

WITH FOLDABLE WOODEN FLOOR

All-round marine model KIWI

... are our new and affordable inflatable boats with inflatable V-keel, **foldable wooden floor** (without aluminum side strips), and anchor/line guide at the bow. The seat board is infinitely adjustable to allow you to find the most comfortable position for fishing or rowing. A second seat board is available as an option. An ideal boat for every hobby angler, as well as leisure and nature lovers.



KIWI	249	280	300	320
total length	95 inches	280 cm	298 cm	126 inches
total width	5 feet	155 cm	5 feet	5 feet 1 inch
hose diameter	42 cm	17 inches	43 cm	17 inches
air chambers	3+1	3+1	3+1	3+1
Weight without packaging	28.3 kg	34 kg	36 kg	39.4 kg
load capacity	430 kg	500 kg	500 kg	600 kg
Number of persons	3	3,5	4	4,5
Max. perm. kW / hp	4,5 / 6	7,4 / 10	7,4 / 10	11,2 / 15
Max. engine weight	40 kg	55 kg	55 kg	60 kg
Order no. gray	97 6023	97 6019	97 6020	97 6021
Order no. olive		97 5990	97 5991	97 5992

Errors and technical changes excepted.



Basic equipment:

Removable seat, detachable oars (1.8 kg), safety lines, tow rings, submerged valves, foot pump, and repair kit. A carrying bag is also included free of charge.

Replacement and additional shelves:

Folding wooden floor, gray, for:

For kiwi 249 (8.5 kg)	97 8835
For Kiwi 280 (11 kg)	97 8828
For Kiwi 300 (13 kg)	97 8829
For Kiwi 320 (31.5 lb)	97 8830

High-pressure air floor, gray, for :

For Kiwi 249 (4.8 kg)	97 6005
For Kiwi 280 (6.5 kg)	97 6006
For kiwi 300 (7.5 kg)	97 6007
For Kiwi 320 (8.5 kg)	97 6008

High-pressure air floor, black, for :

For Kiwi 280 (6.5 kg)	97 6060
For kiwi 300 (7.5 kg)	97 6061
For Kiwi 320 (8.5 kg)	97 6062

Anti-slip protective mats

For Kiwi 249	97 8420
For Kiwi 280	97 8422
For Kiwi 300	97 8423
For Kiwi 320	97 8426

Replacement:

Seat board (2.5 kg)	for all Kiwi gray
97 8134	
Carbon seat board	(1.2 kg)
97 8683	
for Kiwi 249/260 black	



KIWI 260 & KIWI 249

WITH FOLDABLE WOODEN FLOOR, HIGH-PRESSURE OR ALUMINUM FLOOR

This **Kiwi 260** special model does not have a bow roller, but the transom is PVC-coated and the wooden seat board has been replaced with a carbon seat board. Depending on the model, the boat is delivered with a folding wooden floor or a high-pressure air floor. It is also possible to add other floors, such as an aluminum floor.



KIWI	260	260
total length	263 cm	263 cm
total width	5 feet	5 feet
hose diameter	43 cm	43 cm
air chambers	3+1	3+1
Weight without packaging	31 kg	26.5 kg
load capacity	500 kg	500 kg
Number of persons	3,5	3,5
Max. perm. kW / hp	7,4 / 10	7,4 / 10
Max. engine weight	55 kg	55 kg
including folding wooden floor	✓	-
including high-pressure air floor	-	✓
Order no. gray	97 5997	97 5998
Order no. olive	97 5995	97 5996

KIWI	249	249
total length	95 inches	95 inches
total width	5 feet	5 feet
hose diameter	42 cm	42 cm
air chambers	3+1	3+1
Weight without packaging	28.5 kg	25.5 kg
load capacity	430 kg	430 kg
Number of persons	3	3
Max. perm. kW / hp	4,5/ 6	4,5/ 6
Max. engine weight	40 kg	40 kg
including folding wooden floor	✓	-
including high-pressure air floor	-	✓
Order no. gray		97 5989
Order no. olive	97 6000	97 5999

The models listed above are equipped with a scuff strip on the underside and the rudders are black.

Replacement and additional shelves

- High-pressure air floor for Kiwi 249 (4.8 kg) [97 6010](#)
- Folding wooden floor for Kiwi 249 (8.5 kg) [97 8850](#)
- Aluminum base for Kiwi 260 gau [97 6004](#)
- Aluminum floor for Kiwi 260 green [97 6009](#)
- Folding wooden floor, black, for Kiwi 260 (10 kg) [97 8494](#)
- High-pressure air floor for Kiwi 260 (5.5 kg) [97 6003](#)
- High-pressure air floor for Kiwi 260 black [97 6012](#)

Errors and technical changes excepted.

Anti-slip protective mats

- For Kiwi 249 [97 8420](#)
- For Kiwi 260 [97 8421](#)



VARIO

WITH HIGH-PRESSURE AND/OR ALUMINUM BASE

These Allroundmarin inflatable boats offer more than meets the eye! The Vario model series is the further development of the popular JokerMax! Features such as the extra width of up to 173 cm, the inflatable V-keel, and the continuously adjustable seat boards remain unchanged. It's more than just an inflatable boat, it's a partner for your vacation, fishing, and leisure time!



SELECT A SIZE, COLOR, AND THE DESIRED FLOOR:

Red models with 4 air chambers!

VARIO	320	360
total length	325 cm	356 cm
total width	170 cm	5'8
hose diameter	44 cm	45 cm
air chambers	4+1	4+1
Weight*	34 kg	41 kg
load capacity	750 kg	850 kg
Number of persons	4	5
Max. perm. kW / hp	11,2/15	15/20
Max. engine weight	60 kg	60 kg
Order No. red	97 7933	97 7932

VARIO	320	360
total length	325 cm	356 cm
total width	170 cm	5'8
hose diameter	44 cm	45 cm
air chambers	3+1	3+1
Weight*	34 kg	41 kg
load capacity	750 kg	850 kg
Number of persons	4	5
Max. perm. kW / hp	11,2/15	15/20
Max. engine weight	60 kg	60 kg
Order no. gray	97 7928	97 7931

Selection of floors	320	360
high-pressure air floor	97 7937**	97 7936
Weight	4.5 kg	5.9 kg
aluminum floor	97 7940**	97 7939
Weight	19.3 kg	28.0 kg

The high-pressure air floor comes with an additional pressure gauge. The aluminum floor comes with an extra packing bag.


Replacement:

Replacement seat board for all Varios
97 8656





VARIO INFLATABLE BOAT WITHOUT FLOOR



The features of the Vario models speak for themselves! Railblaza Ribport mounts on the tubes (gray and red model 4, green model 6 pieces) which can be used to mount bimini tops, rod holders, ladders, and much more. They have 4 Velcro straps on the inside for attaching paddles or rods and a sliding seat board. For better handling, there are two additional carrying handles at the stern. Three reinforced rubbing strakes on the underside of the boat ensure an even longer service life. The 360 models have a double rubbing strake on the sides. The green model also features 4 pre-glued mounting eyelets for an optional bow platform. The red Vario is perfect for water rescue or diving trips, **as it meets the requirements of fire departments and the standards E DIN EN ISO 6185-1 to E DIN ISO 6185-3 in terms of safety** . It also complies with EC Directive 2013/53/EU, as do all other Allroundmarin inflatable boats.

Choose between a high-pressure air floor and an aluminum floor. An additional floor for different conditions is also available. Please note: The floor must always be ordered separately from the boat! However, **the** hard inflatable keel, which gives the boats high stability and directional stability, is standard on all VARIOS models.

3 additional scuff boards



Sliding seat board



double baseboards




Carrying handles at the rear




Railblazer Ribports included; for various mounting systems, see page 170 onwards.



Foldable inflatable boat ladder for Railblaza mounts, 2+1 rungs, without rib ports **56 3243**



Anti-slip mat for Vario 320 **97 8510**
Anti-slip mat for Vario 360 **97 8514**



Bow platform for bow motors or anchor winches for Vario green **90 1318**



VARIO 300 PRO

The perfect boat for carp anglers and catfish hunters! Optimized through years of tough practical experience, the olive-green Vario 300 impresses with its ingenious features. The interior width of 80 cm provides space for all your tackle.

The recessed mirror not only increases the interior length to a whopping 2.17 m, but also ensures carefree drilling fun thanks to its short rear cone.

The popular "Vario concept" means more choice for you: you can choose between a

lightweight high-pressure air floor and a sturdy aluminum floor. Both are available in an inconspicuous midnight black, as are the paddles.

Safety first: A sturdy, 20 cm wide protective strip runs completely around the underside, and there is a second one on the outside for optimum protection.

Thanks to the sleek design with sturdy soft handles in the perfect places but without unnecessary eyelets, your line always glides smoothly along the outside of the Vario PRO and you can enjoy fantastic fishing fun.

AVAILABLE IN 2 COLORS!



non-slip mat
available as an option
97 8516



Gray cover for Vario 300 Pro 97 8410

All the highlights of the Vario 300 PRO

- Seams welded – not glued
- Well thought-out design based on practical experience
- Large interior (80 cm x 217 cm)
- Bow board with anti-slip coating
- Carbon seat boards (2 pieces)
- Base and paddles in black
- Aluminum or HD air floor
- Sturdy soft handles in the perfect places

Basic equipment:

2 removable, sliding carbon seat boards, 2 detachable oars, safety lines, recessed valves, high-pressure air pump, carrying bag, and repair kit.

VARIO 300 PRO

total length	301 cm
total width	5 feet 4 inches
hose diameter	41 cm
air chambers	3+1
Weight *	29 kg
load capacity	610 kg
Number of persons	4
Max. perm. kW / hp	11,2 / 15,0
Max. engine weight	60 kg
Order no. gray	97 7919
Order no. olive	97 7920

*Weight refers to boat without floor only.

Select a color and the desired flooring!

Selection of floors

high-pressure air floor	97 7934
Weight	7.2 kg
aluminum floor	97 7941
Weight	45.5 lb

FISHING AT THE HIGHEST LEVEL ON THE


Experience the new flagship Vario 300 Pro on our **YouTube channel!**

SCAN ME



Errors and technical changes excepted.

CHOOSE FROM 2 BASES:



With the Vario concept, you can choose between a sturdy aluminum floor for a secure footing with an anti-slip coated bow board and the ingeniously quick-to-use high-pressure air floor with a carbon stabilizing board.


Both floors come in midnight black. For continuous use, there is also an optional custom-made protective mat for the Vario 300 PRO to protect the floor from damage or to dampen sound.



Anti-slip coating on the bow board of the aluminum floor



Soft handles on perfect positions and short stern cone for easy drilling maneuvers



Carbon seat boards - 2 pieces included in delivery



Stainless steel carrying and towing eye made of reinforced plastic at the bow

AS BUDGET

WITH REMOVABLE ALUMINUM FLOOR AND INFLATABLE V-KEEL

The AS Budget 320 from Allroundmarin redefines entry into water sports.

This inflatable boat is specially designed for recreational use and focuses on the absolutely essential equipment without compromising on quality. The sturdy aluminum floor guarantees safety and stability on board, while the sliding seat board offers maximum flexibility.

Visually, the model impresses with its modern dark gray color, which gives the boat a particularly contemporary and elegant look.

Technical highlights such as the PVC-coated transom and welded seams ensure a long service life. Robust rubbing strakes and practical grab handles round off this package, creating a product with an excellent price-performance ratio.



Basic equipment:

Detachable aluminum floor, aluminum stiffeners on the inner sides, removable seat, detachable oars, holding lines, towing rings, recessed valves, rubbing strake, foot pump, and repair kit. A carrying bag is also included free of charge.

Replacement:

- Seat board for AS Budget gray **97 8116**
- Seat board for AS Budget, black **97 8646**

AS BUDGET	320
total length	126 inches
total width	5 feet 1 inch
hose diameter	17 inches
air chambers	3+1
Weight	48.5 kg
load capacity	600 kg
Number of persons	4,5
Max. perm. kW / hp	11,2 / 15
Max. engine weight	60 kg
Order no. dark gray	97 8033

Errors and technical changes excepted.



DYNAMIC PRO

The Dynamic Pro series features a high-pressure air floor that is inflated to 0.8 bar, giving the hull a stability similar to that of a rigid hull. Thanks to inflatable trim tabs at the stern, the boats plane extremely quickly and keep the bow flat for optimal handling.

The compact Dynamic Pro 260 is the ideal dinghy for quick trips. Even with just five horsepower, it glides rapidly and stably. Thanks to its minimal packing dimensions, it fits anywhere when every inch counts on board.

The Dynamic Pro 310 offers the perfect balance between more space for family and friends without compromising on maneuverability. It remains agile even when loaded. The oars can be cleverly secured on the inside to make the entire interior usable.

The flagship Dynamic Pro 370 offers comfort for longer trips and still fits in the trunk without a trailer. It stands out with integrated Railblaza mounts for accessories and an anchor roller at the bow, making it perfect for camping vacations.

All models are made of durable PVC material with a thickness of 0.8 millimeters and welded seams. Since 2022, the transoms have been completely PVC-coated to protect them from rotting. Practical details such as tank mounting straps and ergonomic handles round off the robust overall package.

Scope of delivery:

1 removable, sliding wooden seat board, 2 detachable oars, safety lines, recessed valves, high-pressure air pump, carrying bag, and repair kit.



Dynamic Pro 370



Dynamic Pro 310



Dynamic Pro	260	310	370
total length	257 cm	311 cm	376 cm
total width	5 feet	155 cm	5'6
hose diameter	41 cm	42 cm	44 cm
air chambers	3+2	3+2	4+2
Weight	36 kg	41 kg	58 kg
load capacity	555 kg	565 kg	867 kg
Number of persons	3	3,5	5,5
Max. perm. kW / hp	6/8	7,4/10	18,7/25
Max. engine weight	55 kg	55 kg	83 kg
Order No.	97 7993	97 7994	97 7995

Errors and technical changes excepted.

POKER ULTRA

The Poker Ultra series combines modern design in light gray with black accents and generous space. The heart of these boats is the stable aluminum floor, which ensures a firm footing and allows the boat to sit firmly in the water. Since all models can be completely dismantled, no trailer is necessary and transport is easy in the trunk of a car.

With an interior length of almost three meters, the entry-level Poker Ultra 380 model already offers plenty of space for family outings. Those looking for even more freedom of movement will find even larger dimensions in the Poker Ultra 420 and the flagship Poker Ultra 450, with interior widths of one meter. A special highlight is the optional inflatable sunbed. This lounge transforms the bow area into a comfortable relaxation zone and offers valuable additional storage space for equipment underneath.



In terms of equipment, the series relies on the flexible Railblaza system. Integrated brackets allow accessories such as bimini tops or bathing ladders to be installed in a flash without the need for tools. At the bow, there is another base with a cleat that makes it easy to attach lines or navigation lights. A robust bow roller protects the material from friction when anchoring.

The durable PVC material with a thickness of 0.8 millimeters and welded seams ensures longevity. Since 2022, the transoms of all models have been completely coated with PVC, which permanently prevents rot. In addition, a drain valve at the rear facilitates the drainage of water. Well-thought-out details such as ergonomically placed handles for the helmsman and a belt system to secure the tank round off the overall package.



POKER ULTRA SUNBED

Sunbed for Poker Ultra 380 **97 8391**
 Sunbed for Poker Ultra 420/450 **97 8392**



Poker Ultra 450

Scope of delivery:

2 removable, sliding wooden seat boards, 2 detachable oars, safety lines, recessed valves, high-pressure air pump, carrying bag, and repair kit.

Poker Ultra	380	420	450
total length	379 cm	418 cm	448 cm
total width	5'8	200 cm	200 cm
hose diameter	44 cm	50 cm	50 cm
air chambers	4+1	5+1	5+1
Weight with base	100 pounds	112 kg	265 pounds
Weight of aluminum base	36 kg	45 kg	48 kg
load capacity	737 kg	910 kg	1,010 kg
Number of persons	6	7	8
Max. perm. kW / hp	18,4/25	23/30	23/30
Max. engine weight	83 kg	90 kg	90 kg
Order No.	97 8060	97 8062	97 8063

Errors and technical changes excepted.



POKER HEAVY DUTY

WITH MANY EXTRAS ESPECIALLY FOR RESCUE ORGANIZATIONS OR DIVING

From our "POKER" model series, we have developed a special work dinghy with many extras for fire departments and rescue organizations.


These boats comply with the requirements of fire departments for inflatable boats according to section 5.2.2.1 of the Standards Committee for Firefighting March 2001. They are built in accordance with E DIN EN ISO 6185-1 to E DIN ISO 6185-3 and EC Directive 2013/53/EU (required for CE conformity declaration for recreational craft).

An inflatable V-keel gives the boats stability when turning, and the sturdy side struts on the removable aluminum floor panels prevent the boats from twisting, even in heavy waves. The thick tubes, with diameters of 45 and 53 cm, respectively, ensure particularly high buoyancy and load capacity. Many extras, such as strong and wide rubbing strakes, sturdy carrying handles, coaming with eyelets and long holding loops, grip straps on both sides of the bow area, eyelet straps and Velcro tabs on the inside of the boats for attaching objects, a bollard with rope clamp at the bow, and fastening rings in the bow area inside and outside round off the boat's special suitability for diving and rescue organizations. Two seat boards are included in the scope of delivery.



Oberwaltersdorf Volunteer Fire Department

Experience total clarity even in murky water or at night! HUMMINBIRD brings you surprisingly clear, photo-like images of structures on the bottom, objects floating or sunk in the water, or fish. You can search an area in minutes that would take hours with a conventional sonar device. Fix the GPS position of a promising structure with a single button press on your screen and return to this point at any time. You can find more information and details about HUMMINBIRD in our catalog F.



Austrian Water Rescue Association Burgenland - Pöttsching





Oberwaltersdorf Volunteer Fire Department




Oberwaltersdorf Volunteer Fire Department



**POKER HEAVY DUTY -
A BOAT FOR RESCUERS!**

The popular rescue boat for rescue and diving organizations.

NOW on our YouTube channel!



THE EXTRAS:

- » Strong and wide rubbing strakes protect the boats in case of impact with walls or objects.
- » The underside of the boat is also covered with long protective strips.
- » Strong carrying handles on both sides enable quick land transport by several people, even when the boat is loaded with equipment.
- » A coaming with eyelets and long grab lines provides a good handhold for both rescue personnel in the boat and people in the water.
- » Since rescue operations are very often carried out from the bow, grab straps attached to the sides of the bow area provide emergency personnel with a secure handhold.
- » There are eyelet straps on the inside of the boat for securing items such as diving tanks.
- » Boat hooks, for example, can be attached to Velcro straps on both sides inside the boat.
- » There is a bollard with a rope clamp at the bow for attaching an anchor line.
- » Items can be lashed down or the ends of throwing lines with lifebuoys can be attached to fastening rings in the bow area, inside and outside.

Replacement:

seat board for Poker HD 380, black [97 8117B](#)
 seat board for Poker HD 430, black [97 8132](#)

POKER Heavy Duty	380	430	460
total length	379 cm	418 cm	448 cm
total width	5'8	7'1	7'1
internal length	290 cm	125	352 cm
		inches	
internal width	85 cm	100 cm	100 cm
hose diameter	45 cm	53 cm	53 cm
air chambers	4+1	5+1	5+1
Weight	69 kg	91 kg	97 kg
load capacity	780 kg	1000 kg	1,100 kg
Number of persons	5,5	7	8
Max. perm. kW / hp	18,4 / 25	23 / 30	23 / 30
Max. engine weight	83 kg	90 kg	90 kg
Order no. Mirror height 38 cm for short-shaft motors	97 8052	97 8053	97 8064
Order no. Mirror height 51 cm for long-shaft engines		97 8051	97 8065

Subject to technical changes. Diving equipment, lifebuoy, boat hook, anchor, etc. not included in delivery.



Breathtaking driving dynamics and maximum driving comfort...



RIBSTAR WITH GRP V-HULL

These inflatable boats from the "RIBSTAR" series, with their double-shell V-hull construction seamlessly connected to the transom, ensure stable riding comfort with excellent handling. D-rings for mooring and ring eyelets at the stern and in the hull floor at the bow allow the boat to be lifted.

RIBSTAR	220	240	290	320
total length	89.4 inches	95.9 inches	285.0 cm	323.0 cm
total width	152.5 cm	155.5 cm	154.0 cm	152.0 cm
hose diameter	39.0 cm	41.0 cm	41.5 cm	42.0 cm
air chambers	3	3	3	3
Weight	34.9 kg	43.3 kg	46.5 kg	52.5 kg
load capacity	350 kg	460 kg	510 kg	600 kg
Number of persons	3	3	3	3,5
Max. perm. kW / hp	3,7 / 5,0	4,5 / 6,0	7,4 / 10	11,2 / 15
Max. engine weight	40 kg	40 kg	55 kg	60 kg
Order No.	97 8054	97 8055	97 8056	97 8057

Errors and technical changes excepted.



Replacement:

seat board for Ribstar 240-320 **97 8337**

RIBSTAR PRO



Skirting board also on the keel


These RIBs with watertight bow storage and horizontal interior floor from the Ribstar Pro series are ideal sports and tender boats. They have a sturdy GRP keel that is seamlessly connected to the transom to ensure maximum stability. The ribs on the V-keel give the boat excellent steering control. D-rings for mooring and ring eyelets on the transom and hull bottom for lifting the boat round off this series.

i Info: The RIBSTAR PRO 350 can be certified for up to 25 hp when equipped with remote steering, such as our Jockey Seat 566467.

RIBSTAR pro	350
total length	348.0 cm
total width	176.0 cm
hose diameter	47.5 cm
air chambers	3
Weight	190 lbs
load capacity	600 kg
Number of persons	4
Max. perm. kW / hp	at the helm 11 .2/15 with remote control 18 .4/25
Max. engine weight	83 kg
PVC white/dark blue/red	
Order No.	97 7998

Errors and technical changes excepted.

+ Optional: **Jockey seats for** boats with flat boden. Suitable for mounting a steering wheel. For RIBSTAR PRO 350 .
(L=133, W=48, H=68, D=45 cm) **56 6467**




RIBSTAR ALU MADE OF PVC WITH ALUMINUM V-HULL

RIBSTAR ALU WITH V-HULL AND V-INNER FLOOR



RIBSTAR ALU PRO WITH V-HULL AND HORIZONTAL INNER FLOOR



RIBSTAR ALUMINUM	220	240	270	310
total length	86 inches	95.2 inches	286 cm	122 inches
total width	149 cm	5'3	5'3	5'3
hose diameter	38 cm	42 cm	42 cm	42 cm
air chambers	3	3	3	3
Weight	37 kg	39 kg	48 kg	58 kg
load capacity	350 kg	380 kg	425 kg	495 kg
Number of persons	3	3	3,5	4,5
Max. perm. kW/hp	3,7/5	3,7/5	7,4/10	14,7/20
Color	white/gray	white/gray	white/gray	white/gray
floor coating	standard	standard	standard	standard
Order No.	97 8067	97 8756	97 8758	97 8762

Model 220 with rudder

RIBSTAR PRO ALUMINUM	270	310	340
total length	265 cm	122 inches	340 cm
total width	5'3	5'3	5 feet 1 inch
hose diameter	42 cm	42 cm	41 cm
air chambers	3	3	3
Weight	48 kg	58 kg	65 kg
load capacity	425 kg	495 kg	550 kg
Number of persons	3,5	4,5	4,5
Max. perm. kW/hp	7,4/10	14,7/20	14,7/20
Color	white/gray	white/gray	white/gray
floor coating	standard	standard	Full surface
Order No.	97 8759*	97 8763	97 8766


* Models without bow storage compartment

RIBSTAR ALU MADE OF HYPALON WITH ALUMINUM V-HULL

RIBSTAR ALU WITH V-HULL AND V-INNER FLOOR



RIBSTAR ALU PRO WITH V-HULL AND HORIZONTAL INNER FLOOR



RIBSTAR ALUMINUM	240	310
total length	95.2 inches	122 inches
total width	5'3	5'3
hose diameter	42 cm	42 cm
air chambers	3	3
Weight	39 kg	58 kg
load capacity	380 kg	495 kg
Number of persons	3	4,5
Max. perm. kW/hp	3,7/5	14,7/20
Color	white/gray	white/gray
floor coating	standard	standard
Order No.	97 8757	97 8764

Errors and technical changes excepted.


RIBSTAR PRO ALUMINUM	270	310	340
total length	265 cm	122 inches	340 cm
total width	5'3	5'3	5 feet 1 inch
hose diameter	42 cm	42 cm	41 cm
air chambers	3	3	3
Weight	48 kg	58 kg	65 kg
load capacity	425 kg	495 kg	550 kg
Number of persons	3,5	4,5	4,5
Max. perm. kW/hp	7,4/10	14,7/20	14,7/20
Color	white/gray	white/gray	white/gray
floor coating	standard	Full surface	Full surface
Order No.	97 8761*	97 8765	97 8767

* Models without bow storage compartment



FOLDABLE TRANSPORT AND SLIP WHEELS

These new transport and slip wheels are made of durable plastic and are screwed directly onto the transom of the inflatable boat. The wheels, which have a diameter of 140 mm, can be positioned in three different positions using a spring mechanism.



56 3457



INFLATABLE BOAT WHEELS



These wheels for manually towing inflatable boats are supplied complete with detailed installation instructions for the transom. The special mounting and connecting parts allow the wheels to be easily folded up and locked in place. Removal is also easy. Diameter of pneumatic wheels: 360 mm.

Maximum load capacity 180 kg

model	height	Weight	Order No.
universal	70 cm	6.0 kg	56 3445
for Allroundmarin inflatable boats	80 cm	6.2 kg	56 3495

TOW TRUCK



This trailer for inflatable boats is made of galvanized steel tubing with plastic over. An ideal addition to our trailer wheels, allowing even one person to transport an inflatable boat with ease.

model	Order No.
tow truck	56 3446

	diameter	Order No.
Spare pneumatic tire	360 mm	56 3447
Plastic spare wheel for sandy soil	390 mm	56 3448

WHEELS FOR INFLATABLE BOATS (DYNAMIC MODEL)



Fold-up transport and slip wheels, More parts and shaft made of NIROSTA AISI 316. The special mounting and connecting parts allow the wheels to be easily folded up when traveling in water and just as easily folded down for slipping and transport on land. Wheels Ø 26 cm, weight 5.8 kg, max. load capacity 100 kg, tube Ø 30 mm. 56 3454

TOWING VEHICLE, 360° ROTATABLE

This trailer made of galvanized steel tubing and pneumatic tires (, 260x85 mm) can be dismantled and the drawbar can be rotated



360°.

An ideal combination in conjunction with inflatable boat wheels at the stern, allowing the boat to be transported by just one person. Payload 100 kg

97 8482

THE ULTIMATE INFLATABLE BOAT WHEELS

These inflatable boat and dinghy wheels are a simple but robust option for transporting inflatable boats, as well as lightweight aluminum boats, to the beach, avoiding the need to carry the heavy load yourself. The wheels have a simple locking and unlocking mechanism in the lower and upper positions. The wheels and axle assembly can be easily and conveniently removed from the transom or the permanently mounted snap-in brackets for storage away from the sun when the boat is not in use.

- Made of UV-resistant fiberglass reinforced plastic
- Weight only 4 kg
- Recommended for boats up to 3.6 meters
- Recommended working load up to 100 kg incl. Outboard motors up to 9.9 hp
- Easy installation and assembly
- Easy to engage and disengage the wheels
- Multiple wheel positions adjustable
- Wheel diameter 25 cm, width 10 cm
- Connecting elements and axles made of stainless steel



	Color	Order No.
Inflatable boat wheels	black	91 5280

KAYAK AND INFLATABLE BOAT TRANSPORT AND SLIP TRAILER MODEL C-TUG

This new C-TUG transport trolley is ideal for kayaks and smaller inflatable boats. It is made from high-quality polymer and is therefore completely rustproof. The axles are made from stainless steel. The support surfaces are infinitely adjustable and can therefore be adapted to any keel shape. The contact surface of the C-TUG is coated with a special coating that largely prevents kayaks or small rigid-hulled boats from slipping. The 10" (25.4 cm) wheels have a ribbed rubber tread vulcanized onto them, ensuring a smooth ride even on hard surfaces such as asphalt. The wheels are secured with captive clips. A center support that can be folded in both directions holds the slip trailer in position so that the kayak or inflatable boat can be easily loaded without the help of a second person.



After launching, the strap can be loosened and the C-TUG lifted sideways into the boat using the strap. The C-TUG can be dismantled in approx. 20 seconds without the need for tools and stored in a very small space.

Scope of delivery includes 2-piece belt (1.2 + 1.6 m)

Technical data:

Overall width:	62.00 cm
Height with flat support surfaces	33.00 cm
Wheel diameter/width	25.4 x 9.10 cm
Weight without packaging	3.90 kg
Weight including packaging box	4.20 kg
Dimensions of the box:	58 x 27 x 19 cm
Load capacity per C-TUG:	maximum 120 kg

Other products in catalog A

Models including 2-piece belt (2.8 m)	Order No.
C-TUG Transport/Slip Trailer	91 5130
C-TUG Transport/Slip Trailer with Sand Wheels	91 5099
Spare wheels for C-TUG (pair)	91 5133
Spare wheels for sandy soil (pair)	91 5216
Replacement belt 1.20 + 1.60 m with metal buckles and 2x ladder buckles	91 5086
Extension straps 2 x 1.25 m with 2 ladder buckles	91 5119*
Extension strap 2.50 m, with 1x ladder buckle	91 5064
connecting axis	91 5242

GE BTP-2



Air pump with pressure gauge and auto-stop when set pressure is reached. Air filter, easy to clean and replace. Can inflate and deflate. Voltage: 12V, currentverrequires 14.5 A. Scope of delivery: Carrying bag, adapter also for inflatable boats and SUPs, power cable with alligator clips, pressure gauge, 1.7 m air hose, and 3 m cable. Dimensions: 29.5 x 10.5 x 16 cm

Power	maximum pressure	Order No.
120-420 l/min	1.0 bar (13.8 psi)	80 1295

GE BP-1



This air pump is specially designed for SUPs and has an auto-stop function when the set pressure is reached. This pump can only inflate. Adapter kit, see below. Scope of delivery: Carrying bag, adapter, power cable for cigarette lighter and alligator clips for 12V battery, 1.7m air hose and 3m cable. Voltage: 12V, currentverrequires 13A. Dimensions: 20.5x10.5x13 cm

Power	maximum pressure	Order No.
160 l/min	1.2 bar (18 psi)	80 1292



GE10-8 12V



12-volt electric air pump that can be set to a maximum of 0.8 bar (11.6 psi). The ger automatically stops when the set pressure is reached. This pump can be used to inflate and deflate , e.g. , large inflatable boats, swimming pools, large regatta buoys. **Now with new electronics and reduced power consumption!** This allows us to guarantee greater reliability. Power consumption: 13 amps.

Scope of delivery: Carrying bag, hose, adapters for most common valves, alligator clips, and cigarette lighter.

Power	maximum pressure	Weight	dimensions	Order No.
450 l/min	0.8 bar (11.6 psi)	1.9 kg	18x20x24 cm	80 1285

GE 10-B incl. 12V battery

Electric air pump with integrated 12V, 7Ah battery.

Scope of delivery: Carrying bag, charging cable , hose, adapter cross for various valves.

Power	maximum pressure	Weight	dimensions	Order No.
450 l/min	0.8 bar (11.6 psi)	4.8 kg	18x20x30 cm	80 1286

GE 20-2 12 VOLTS



Electric air pump with integrated 12V DC battery, which is charged using a cigarette lighter or standard 110-240 AC/DC adapter. For inflating and deflating. The ger stops when the set pressure is reached. Includes LED display. The pump can also be operated with an external battery (alligator clips).

Scope of delivery: Carrying bag, hose, valve adapter, alligator clips, cigarette lighter plug, power plug.

Power	maximum pressure	Weight	dimensions	Order No.
125 l/min	1.5 bar (20 psi)	6.7 kg	20x32x22 cm	80 1296

Further products in catalog A 22/23 pp. 314-316

AIR PUMP ACCESSORIES



Air pump adapter for Halkey Roberts (HR), BRAVO 2001 or similar inflatable boats-ventile. Withlocking claws and stepped hose nozzles, suitable for air pumpsschläuche from foot and hand pumps. Not to be used for electric pumps. **80 1344**

Adapters for various valve sizes



56 6450



Adapter with crossbar, for electric pumps **80 1349**



Air pump adapters for air mattresses, tubes, and similar items **80 1348**



Air pump adapter for Halkey Roberts (HR), with crossbar for electric pumps **80 1347**

INFLATABLE SEAT ROLLS FOR INFLATABLE BOATS



Size 1 suitable for Jolly 200 / 220
Size 2 suitable for AS 265/300/330 and Jolly 270

Length x Diameter	Order no.
Size 1: 67 x 32 cm	56 6464
Size 2: 70 x 35 cm	56 6465

ALLROUNDMARIN INFLATABLE DINGHY SEATS



The seats fit well to the tuberunding and are made of the same material as the tubesboats themselves. Supplied complete with fastening straps, eyelets, and valve. Suitable for many types of boats. Color: light gray.

Size 1 suitable for AS265/300/330, Dynamic 260/310 and Ribstar 240/290/320
Size 2 suitable for Dynamic 350/380, AS 360/380, Vario 320/360
Size 3 suitable for Poker 430/460

For boats Internal width	Order no.
Size 1: 65-75 cm	56 6461
Size 2: 80-85 cm	56 6462
Size 3: 95 cm	56 6452

BOW BAG AND SPLASH GUARD FOR INFLATABLE BOATS



This spray guard can be easily installed on many inflatable boats. An ideal and practical storage space with a zip closure for various items to protect them from splashing water.

	Color	Order no.
Size 1, e.g., for AS 330	gray	97 8407
Size 2, e.g., for AS 360/380	gray	97 8408
Size 3, e.g., for POKER 430/460	gray	97 8409
for boats width 150-155	gray	97 8750
for boats width 150-155	green	97 8751

HANGING BAG FOR INFLATABLE BOAT SEATS



An ideal way to store clothes or various items protected from splashing water. The hanging bag can be closed with a zipper.

seat board length	Order no.
Size 1: 60 cm	97 8406
Size 2: 85 cm	97 8745
Size 3: 100 cm	97 8405
Size 4: 120 cm	97 8746

HANGING BAG WITH PADDING FOR INFLATABLE BOAT SEATS



Bag with padded seat in 2 sizes
 Size 1 with 6 pockets and 2 holders for glasses or beverage cans
 Size 2 with 6 pockets and 4 holders for glasses or beverage cans

Bench width	Order no.
Size 1: 40 cm	97 8403
Size 2: 65 cm	97 8404

TARPAULIN FOR INFLATABLE BOATS AND SMALL BOATS



Made of strong nylon material, lightweight, complete with edge rope.
 Color: gray.

Length cm	Order No.	Length cm	Order No.
200 cm	97 8412	330 cm	97 8417
87 inches	97 8413	360 cm	97 8418
95 inches	97 8414	380 cm	97 8419
260 cm	97 8415	430 cm	97 8424
300 cm	97 8416	460 cm	97 8425



Replacement hose kit for GE BP-1 pump **80 1287**

12 V battery set for air pumps

Consisting of special batteries, charger, and AC adapter.



For air pumps BP12 & BTP 12

Ah	battery	charging cycles	Order No.
8	Ni-MH	800	80 1354*

For GE BP & GE BTP air pumps

Ah	battery	charging cycles	Order No.
10	Ni-MH	800	80 1308
9	BP - Lead/Acid	400	80 1309

*while supplies last

Cover for Vario 300	97 8410
Cover for Vario 320	97 8523
Cover for Vario 360	97 8524
Cover for Vario 390	97 8525
Cover for Kiwi 249	97 8518
Cover for Kiwi 260	97 8519
Cover for Kiwi 280	97 8520
Cover for Kiwi 300	97 8521
Cover for Kiwi 320	97 8522

REPAIR KITS

For PVC boats, complete set with adhesive, patches, and box (for PVC, repairs only involve cleaning, not sanding).

For inflatable boats

Color	Order no.
light gray 3	97 8143
dark gray 7	97 8182
white	97 8144
camouflage	97 8456
red	97 8145
yellow	97 8142
green	56 3198
blue	97 8499
black	97 8183
olive/black	97 8795
gray/black	97 8796

For SUPs

Color	Order no.
red/white	97 8507
blue/white	97 8508
yellow/dark blue	97 8509



For neoprene/Hypalon boats, Complete set with adhesive, sandingpaper, woodputty knife and various stickers. Available in the following colors:

Color	Order no.
orange	56 3195
gray	56 3197
black	56 3204
white	56 3199



RUBBER & PVC REFRESHER

KochChemie®
ExcellenceForExperts.



Plastic and rubber care for marine use.
PVC and Hypalon care and UV protection

model	quantity	Order No.
Rubber Refresher	1L	65 3040
Multi-purpose microfiber cloth	1 piece	64 1581

2-COMPONENT ADHESIVE

The secure adhesives for all repair work on inflatable boats, as well as for attaching Rail-blaza Ribports to inflatable boats, hard-shell kayaks, and SUPs.

Please observe the instructions and the warnings and hazard information on the packaging.



Complete adhesive kit with cleaner, hardener, adhesive, brush, gloves, and PVC patches.

model	quantity	Order No.
PVC on PVC	125 ml	97 81402
Hypalon on Hypalon	125 ml	97 81401



Complete adhesive kit with primer (cleaner), hardener, and adhesive. For Hypalon-Hypalon, PVC-PVC, and PVC-Hypalon

model	quantity	Order No.
adhesive	100 ml	97 8140



Mr. Kraken 2-component adhesive set with hardener and adhesive

model	quantity	Order No.
PVC on PVC	100 ml	97 7013
PVC on PVC	250 ml	97 7014
Hypalon on Hypalon	100 ml	97 7015
Hypalon on Hypalon	250 ml	97 7016

1-COMPONENT ADHESIVE



Can including brush in the cap

model	quantity	Order No.
PVC on PVC	200 ml can	97 7011
PVC on PVC	Tube 30g	97 7010

MR. KRACKEN CLEANER

**PVC/Hypalon cleaner for inflatable boats**

Easy-to-use PVC and Hypalon cleaner. Effortlessly removes stubborn dirt, white deposits, and grease from PVC and Hypalon.

Hazard statement: H315, H318, P264, P280, P302+P352, P305+P351+P338, P310, P332+P313

	quantity	Order No.
PVC / Hypalon cleaner	650 ml	65 2376

**Protective wax for inflatable boats**

It provides UV protection and protection against breakage, preventing bleaching and discoloration of the material.

Hazard statement: P264, P271

	quantity	Order No.
protective wax	650 ml	65 2377

INFLATABLE BOAT AND FENDER CLEANER

Cleans and protects all types of PVC, rubber, and Hypalon. Removes dirt, shoe marks, oil, and water stains. Protects against UV damage and extends service life.



Hazard statements: H319, H412, P101, P102, P262, P305+P351+P338, P337+P313, P273-P501a

	quantity	Order No.
cleaning agent	1L	65 3012
cleaning agent	250 ml	65 3018

EXTRA STRONG INFLATABLE BOAT CLEANER

Restores the original appearance of inflatable boats that have been aged by sun, moisture, saltwater, and sunscreen. Safe for use on all types of inflatable boat materials, such as PVC, Hypalon, or neoprene. Solvent-free.



	quantity	Order No.
Extra strong cleaner	1L	65 3020



Allroundmarin®
Alltechnik Trading Company Ltd.

Heinboldtstrasse 11-13, A-2362 Biedermannsdorf near Vienna
+43 (0)2236 64676 -0 +43 (0)2236 64676-76
@office@allroundmarin.at www.allroundmarin.com

follow us

